



Republika ng Pilipinas
 Republic of the Philippines
Kagawaran ng Tanggulang Pambansa
 Department of National Defense

DND BIDS AND AWARDS COMMITTEE 2
 Camp General Emilio Aguinaldo, Quezon City

SUPPLEMENTAL BID BULLETIN NR DND/AFP-PAF-AEE-19-07-001
 (Philippine Air Force Aviation Engineering Equipment – Lots 1 to 32, except Lots 5 and 9)

This Supplemental Bid Bulletin is issued to inform prospective bidders of the modifications, amendments, or additional requirements that form part of the Bid Documents for the Philippine Air Force Aviation Engineering Equipment.

Item Nr	Particulars	Reference									
1	Request: On specifications of Lot Nr 3 a. Long Carriage 21-Ton Tracked Excavators: To change the following requirements: <table border="1" style="width: 100%; margin-top: 5px;"> <thead> <tr> <th style="text-align: center;">Item Nr</th> <th style="text-align: center;">From:</th> <th style="text-align: center;">To:</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">3</td> <td>Undercarriage: At least 8 lower rollers per side</td> <td>Undercarriage: At least 7 lower rollers per side</td> </tr> </tbody> </table>	Item Nr	From:	To:	3	Undercarriage: At least 8 lower rollers per side	Undercarriage: At least 7 lower rollers per side	Section VII. Technical Specifications, Lot 3 a. Long Carriage 21-Ton Tracked Excavators Item 3			
Item Nr	From:	To:									
3	Undercarriage: At least 8 lower rollers per side	Undercarriage: At least 7 lower rollers per side									
Answer: Request is denied. The specification is the operational requirement of the end-user.											
2	Request: On specifications of Lot Nr 3 b. Long Reach Long Carriage 21-Ton Tracked Excavators: To change the following requirements: <table border="1" style="width: 100%; margin-top: 5px;"> <thead> <tr> <th style="text-align: center;">Item Nr</th> <th style="text-align: center;">From:</th> <th style="text-align: center;">To:</th> </tr> </thead> <tbody> <tr> <td rowspan="2" style="text-align: center;">5</td> <td>Bucket Capacity: At least 0.4cu.m</td> <td>Bucket Capacity: At least 0.36cu.m</td> </tr> <tr> <td>Bucket Tearout: At least 77KN</td> <td>Bucket Tearout: At least 65KN</td> </tr> </tbody> </table>	Item Nr	From:	To:	5	Bucket Capacity: At least 0.4 cu.m	Bucket Capacity: At least 0.36 cu.m	Bucket Tearout: At least 77 KN	Bucket Tearout: At least 65 KN	Section VII. Technical Specifications, Lot 3 b. Long Reach Long Carriage 21-Ton Tracked Excavators Item 5	
Item Nr	From:	To:									
5	Bucket Capacity: At least 0.4 cu.m	Bucket Capacity: At least 0.36 cu.m									
	Bucket Tearout: At least 77 KN	Bucket Tearout: At least 65 KN									
Answer: Request is denied. The specification is the operational requirement of the end-user.											
3	Request: On specifications of Lot Nr 3 c. 5-Ton Tracked Excavators: To change the following requirements: <table border="1" style="width: 100%; margin-top: 5px;"> <thead> <tr> <th style="text-align: center;">Item Nr</th> <th style="text-align: center;">From:</th> <th style="text-align: center;">To:</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>Operating Weight: Not to exceed 6.1tons</td> <td>Operating Weight: 7.9tons</td> </tr> <tr> <td style="text-align: center;">7</td> <td>Flow Rate: At least 75.7L/min</td> <td>Flow Rate: At least 68L/min</td> </tr> </tbody> </table>	Item Nr	From:	To:	1	Operating Weight: Not to exceed 6.1 tons	Operating Weight: 7.9 tons	7	Flow Rate: At least 75.7 L/min	Flow Rate: At least 68 L/min	Section VII. Technical Specifications, Lot 3 c. 5-Ton Tracked Excavators Item 1 & 7
Item Nr	From:	To:									
1	Operating Weight: Not to exceed 6.1 tons	Operating Weight: 7.9 tons									
7	Flow Rate: At least 75.7 L/min	Flow Rate: At least 68 L/min									
Answer: Request is denied. The specification is the operational requirement of the end-user.											

Item Nr	Particulars			Reference
4	Request: On Eligibility Documents: Mill Certificate on OEM's Structural Material			Section III. Bid Data Sheet, 13.12 Class A Documents Tab M
	Tab	From:	To:	
	M	Tensile Strength: 510MPa	Tensile Strength: 400MPa (Lot 3 a & b) 350MPa (Lot 3 c)	
Answer: Request is denied. The specification is the operational requirement of the end-user.				
5	Request: On specifications of Lot Nr 3 c. 5-Ton Tracked Excavators: To change the following requirements:			Section VII. Technical Specifications, Lot 3 c. 5-Ton Tracked Excavators Item 2
	Item Nr	From:	To:	
	2	Engine Power: At least 35.5KW	Engine Power: At least 27KW	
Answer: Request is denied. The specification is the operational requirement of the end-user.				
6	Request: On specifications of Lot 11 Skid Steers: To change the following requirements:			Section VII. Technical Specifications, Lot 11 Skid Steers Item 1
	Item Nr	From:	To:	
	1	Operating Weight: Not to exceed 3tons	Operating Weight: 3.16tons	
Answer: Request is denied. The specification is the operational requirement of the end-user.				
7	Request: On specifications of Lot 13 Compact Backhoe Loaders:			Section VII. Technical Specifications, Lot 13 Compact Backhoe Loader Item 1
	Item Nr	From:	To:	
	1	Operating Weight: Not to exceed 5.8tons	Operating Weight: 7.7tons	
Answer: Request is denied. The specification is the operational requirement of the end-user.				
8	Request: On specifications of Lot 14 10-Ton Single-Drum Road Rollers: To change the following requirements:			Section VII. Technical Specifications, Lot 14 10-Ton Single-Drum Road Rollers Item 2
	Item Nr	From:	To:	
	2	Engine: At least 93KW rated power	Engine: At least 75KW rated power	
Answer: Request is denied. The specification is the operational requirement of the end-user.				
9	Request: On specifications of Lot 4 Telehandlers:			Section VII. Technical Specifications, Lot 4 Telehandlers Item 2
	Item Nr	From:	To:	
	2	Engine: At least 74.4KW rated power	Engine: At least 74.2KW rated power	

Item Nr	Particulars	Reference						
	Answer: Request is denied. The specification is the operational requirement of the end-user.							
10	Request: On specifications of Lot 13 Compact Backhoe Loader:	Section VII. Technical Specifications, Lot 13 Compact Backhoe Loader Item 3						
	<table border="1" data-bbox="315 408 1172 483"> <thead> <tr> <th data-bbox="315 408 418 483">Item Nr</th> <th data-bbox="418 408 786 483">From:</th> <th data-bbox="786 408 1172 483">To:</th> </tr> </thead> <tbody> <tr> <td data-bbox="315 483 418 558">3</td> <td data-bbox="418 483 786 558">Cab Roof Height: Not to exceed 2.7m</td> <td data-bbox="786 483 1172 558">Cab Roof Height: Not to exceed 2.74m</td> </tr> </tbody> </table>		Item Nr	From:	To:	3	Cab Roof Height: Not to exceed 2.7m	Cab Roof Height: Not to exceed 2.74m
	Item Nr		From:	To:				
3	Cab Roof Height: Not to exceed 2.7m	Cab Roof Height: Not to exceed 2.74m						
Answer: Request is denied. The specification is the operational requirement of the end-user.								
11	Request: On specifications of Lot 20 Self-Loading Mixers:	Section VII. Technical Specifications, Lot 20 Self Loading Mixers Item 8						
	<table border="1" data-bbox="315 707 1172 857"> <thead> <tr> <th data-bbox="315 707 418 782">Item Nr</th> <th data-bbox="418 707 786 782">From:</th> <th data-bbox="786 707 1172 782">To:</th> </tr> </thead> <tbody> <tr> <td data-bbox="315 782 418 857">8</td> <td data-bbox="418 782 786 857">Loading Shovel: At least 600L</td> <td data-bbox="786 782 1172 857">Loading Shovel: At least 560L</td> </tr> </tbody> </table>		Item Nr	From:	To:	8	Loading Shovel: At least 600L	Loading Shovel: At least 560L
	Item Nr		From:	To:				
8	Loading Shovel: At least 600L	Loading Shovel: At least 560L						
Answer: Request is denied. The specification is the operational requirement of the end-user.								
12	<p>Questions:</p> <p>On Eligibility Documents: Completed Similar Contract</p> <ol style="list-style-type: none"> Do we need to submit the completed similar contract of each lot we participate? For supporting document of similar contract, Purchase Order needed? Is Official Receipt considered? 	Section III. Bid Data Sheet, 13.12 Class A Documents Tab C						
	<p>Answers:</p> <ol style="list-style-type: none"> Please refer to ITB Clause 13.12 of the BDS Class "A" Eligibility Documents Tab C re Statement of Completed Similar Contract. Please refer to Sample Form Nr 7 for the supporting documents required for Statement of Completed Similar Contract. 							
13	<p>Questions:</p> <p>On Eligibility Documents:</p> <ol style="list-style-type: none"> Is the Authorized Signatory of Omnibus Sworn Statement need to attend during the Bidding? If not, the Sales Representative allowed to answer the question during Bidding? 	Section III. Bid Data Sheet, 13.12 Class A Documents Tab G						
	Answer: Presence of Authorized Signatory of Omnibus Sworn Statement during the Bidding is highly encouraged. However, any representative may be allowed to attend only as observer.							
14	<p>Questions:</p> <p>On Financial Proposal (Tab A & B):</p> <ol style="list-style-type: none"> Where is the sample form for Price Proposal (Tab A)? Where is the sample form (Tab B)? 	Section III. Bid Data Sheet, 15.1 Tab A & B						
	Answers: Attached in the following pages are samples of Tabs A & B of Financial Proposal							
15	Request: On extending the Delivery Period from 135CD from NTP to 180CD on unspecified Lot Nrs.	Section 1. Invitation to Apply for Eligibility and to Bid, Para 2						
	Answer: Request is denied. The extension of Delivery Period would substantially delay the procurement timeline.							

Item Nr	Particulars	Reference
16	<p>Request: On 26 Jul 2019 date of SOBE: To extend the Public Bidding date.</p> <p>Answer: Request is denied. The resetting of the SOBE would substantially delay the procurement timeline.</p>	Section I. Invitation to Apply for Eligibility and to Bid, Nr 8 & 9
17	The Public Bidding for Lot 3 Tracked Excavators is indefinitely postponed.	Section I. Invitation to Apply for Eligibility and to Bid

Be informed that all the requirements set forth in the Bid Docs are based on the operational needs of the end-user and in compliance with RA 9184.

Please be guided accordingly.



DIR. CHRISTINE JUNE P. CARIÑO
Vice-Chairperson, DND BAC 2

Sample Form (Tab A)

Price Proposal

Date: _____
IAEB No: _____

The Secretary of National Defense
Department of National Defense
Camp Gen Emilio Aguinaldo
Quezon City

Attention: The Chairman
DND Bids and Awards Committee 2

Gentlemen:

Having examined the Bidding Documents including Bid Bulletin Numbers _____ [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to

_____ [supply/deliver] [description of the GOODS] in conformity with the said Bidding Documents for the sum of

_____ [total Bid amount in words and figures] or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in **BDS** provision for ITB Clause 22.2 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of Agent	Amount and Currency	Purpose of Commission or Gratuity
_____	_____	_____
_____	_____	_____
_____	_____	_____

(if none, state "None")

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the lowest or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per **ITB** Clause 5 of the Bidding Documents.

Dated this _____ day of _____ 20_____

[signature] [in the capacity of]
Duly authorized to sign Bid for and on behalf of _____

Instructions:

1. The price shall be quoted only in Philippine Pesos. The price per line item shall be quoted.
2. The bidder shall indicate the cost for each item no more than two decimal places. Should the figures exceed two decimal places, rounding off based on the rules of mathematics shall be applied.
3. In case of discrepancies between: (a) prices in words and figures, the price in words shall prevail; (b) total prices and unit prices, the latter shall prevail; and (c) unit cost in the detailed estimate and unit cost in the bill of quantities, the latter shall prevail.
4. The name of the firm, business address, authorized signatory and authorized signature shall be duly accomplished.



Sample Form (Tab B)

For Goods Offered From Abroad

Name of Bidder _____ IAEB Number ____ Page ____ of ____.

1	2	3	4	5	6
Item Nr	Description	Country of Origin	Quantity	Unit Price Delivered at Place (DAP)	Total Price Delivered at Place (DAP) (Col 4 x 5)

Name and Signature of the Bidder

Note: In case of discrepancy between unit price and total, the unit price shall prevail