



Republika ng Pilipinas
Republic of the Philippines
Kagawaran ng Tanggulang Pambansa
Department of National Defense

Request for Quotation

03 December 2019

Greetings:

For a negotiated procurement under Section 53.9 (Small Value Procurement) of the 2016 Revised Implementing Rules and Regulations (RIRR) of Republic Act (RA) 9184, please quote your lowest price on the **line items** listed below, subject to the General and Special Conditions, as required.


You should be able to submit a sealed quotation, duly signed by your authorized representative to the Negotiation Team at the DND Proper BAC Conference Room, Beside DND Multi-Purpose Center, DND, Camp General Emilio Aguinaldo, Quezon City, not later than **10:00 AM on 09 December 2019 (Monday)**.

Nomenclature	QTY	Unit Price	ABC
Procurement of Audio Video Recording Equipment for CY 2019 E-CLIP/TFBL Program <i>* See attached suppliers quotation for details</i>			
1. DSLR Camera Set #1 with Accessories	1 set		
1.1 DSLR Camera	1 pc.	Php79,900.00	Php79,900.00
1.2 Camera Lens (24-70mm)	1 pc.	113,500.00	113,500.00
1.3 Speed Light	1 pc.	25,700.00	25,700.00
1.4 Tripod	1 pc.	12,000.00	12,000.00
1.5 Camera Bag	1 pc.	7,500.00	7,500.00
2. DSLR Camera Set #2 with Accessories	1 set		
2.1 DSLR Camera	1 pc.	79,900.00	79,900.00
2.2 Camera Lens (70-200mm)	1 pc.	137,000.00	137,000.00
2.3 Speed Light	1 pc.	25,700.00	25,700.00
2.4 Tripod	1 pc.	12,000.00	12,000.00
2.5 Camera Bag	1 pc.	7,500.00	7,500.00
3. Professional Camera	1 pc.	197,200.00	197,200.00
4. Drone	1 pc.	123,900.00	123,900.00
5. Drone Bag	1 pc.	5,500.00	5,500.00
6. Shotgun Microphone	1 pc.	21,700.00	21,700.00
7. Dry Box	1 pc.	22,000.00	22,000.00
8. Audio Recorder	2 pcs.	6,700.00	13,400.00
9. Projector	1 pc.	36,300.00	36,300.00
10. Smart Television (Brand New)	1 unit	60,000.00	60,000.00
TOTAL			Php980,700.00

General and Special Conditions:

- All entries must be legibly written.
- Supply and Delivery of ICT Equipment for the CY 2019 E-CLIP/TFBL Program shall be made within fifteen (15) calendar days upon receipt of the Notice to Proceed and Purchase Order.
- Price validity shall be for a period of not less than sixty (60) calendar days from the date of quotation.

4. Warranty of not less than One (1) year from the date of delivery and acceptance.
5. Proponent must submit, together with its Quotation, the following:
 - a. **Certified true copy** (by the proponent) of Mayor's/ Business Permit (all pages);
 - b. **Certified true copy** (by the proponent) of the proof of PhilGEPS Registration Number (all pages);
 - c. **Certified true copy** (by the proponent) of the latest Income/ Business Tax Returns (all pages);
 - d. **Original copy** of a **duly accomplished and notarized** Omnibus Sworn Statement (with Secretary's Certificate or Special Power of Attorney) in the form prescribed under the 2016 Revised IRR of RA 9184; and
 - e. **Certified true copy** (by the proponent) of the Certificate of Authenticity for the products.
6. The proponent or its **authorized representative should be present during the negotiation/ opening of quotations**; otherwise, the submitted quotation will not be opened and will be considered ineligible to participate in the process.



ASEC. JOSUE S. GAVERZA, JR.
Chairperson, DND Proper BAC

SUPPLIER'S QUOTATION

NOMENCLATURE	QTY	Unit Price (In Peso)	Total Price (In Peso)
Procurement of Audio Video Recording Equipment for CY 2019 E-CLIP/TFBL Program			
1. DSLR Camera Set #1 with Accessories			
1.1 DSLR Camera Specifications: <ul style="list-style-type: none"> ➤ Image Sensor: <ul style="list-style-type: none"> - About 35.9mm x 24mm - FX Format Image Sensor or equivalent - With dust reduction/dust cleaning system ➤ Megapixels: At least 20.9 million ➤ Storage <ul style="list-style-type: none"> - At least 1 memory card slot - Supports SD, SDHC, and SDXC ➤ Top Continuous Shooting at Full Resolution: At least 8 frames per second ➤ Display <ul style="list-style-type: none"> - At least 3" diagonal - 170-degree viewing angle - With monitor brightness adjustment - Tilting or articulating - At least 540x480, RGB ➤ File Format <ul style="list-style-type: none"> - Still Images: Raw, JPEG - Video: Mov, MP4 ➤ Viewfinder <ul style="list-style-type: none"> - Eye-level Pentaprism Single-Lens Reflex Viewfinder - Viewfinder Coverage (Vertical and Horizontal): 100% - Diopter Adjustment: Manufacturer's standard ➤ Shutter <ul style="list-style-type: none"> - Shutter Speed Range 1/4000 to 30 sec or higher - Bulb mode: Yes - Flash Sync Speed: 1/250 or lower - Shutter Release Modes: Continuous low speed mode; continuous high speed mode; Mirror-up mode; Quiet Mode; Selfi-timer mode; Single-frame mode - Self Timer Mode: 2s; 5s; 10s; or user customizable ➤ Exposure <ul style="list-style-type: none"> - Metering Method: Center-weighted; Matrix; and Spot - Exposure Modes: Aperture-Priority; Manual; Program; Shutter-Priority ➤ ISO Sensitivity <ul style="list-style-type: none"> - At least ISO 100 - ISO 12,800 - Long Exposure Noise Reduction: Yes - Bult-in High ISO Noise Reduction: Low, Normal, High, Off ➤ Focus/ Autofocus <ul style="list-style-type: none"> - Single-Point AF Mode: YES - Number of AF Points: At least 45 - Cross-type AF Points: At least 15 	1 pc		

<ul style="list-style-type: none"> - Focus Modes: AF-S (or equivalent); AF-C (or equivalent); Manual Focus; AF-A (or equivalent) ➤ Live View <ul style="list-style-type: none"> - Photography Live View Mode: Yes - Video Live View Mode: Yes ➤ Video Mode <ul style="list-style-type: none"> - Minimum Recording Time: 5 mins per clip - Resolution: 4K UHD 3840x2160, 30 fps or lower frame rates; Full HD 1920x1080, 60 fps or lower frame rates; HD 1280x720, 60 fps or lower frame rates ➤ Kit Options: Body Only: Yes ➤ Memory Card <ul style="list-style-type: none"> - SDHC or SDXC compliant - Data Transfer: At least 90 Mbps - Class 10 - Storage: At least 64 GB ➤ Battery <ul style="list-style-type: none"> - Battery Life: At least 900 stills or 80 mins of HD footage - Extra Battery: Yes ➤ Miscellaneous <ul style="list-style-type: none"> - Built in microphone - Built in speakers - Audio-in/out jack - Built in GPS, Bluetooth, Wi-Fi or NFC - Built in HDMI or mini-HDMI Jack - Weather Sealed Camera Body: Yes ➤ Replacement and Warranty <ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - At least 1 year warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 			
<p>1.2. Camera Lens (24-70mm)</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Focal Range: 24-70mm ➤ Lens Construction: 19 Elements in 14 Groups ➤ Number of Diaphragm blades: 9 (Rounded diaphragm) ➤ Aperture <ul style="list-style-type: none"> - Minimum: F22 - Maximum: F2.8 - Aperture throughout focal range: F2.8 ➤ Filter Size: Manufacturer's standard ➤ Mount: FX mount ➤ Image Stabilization: Image Stabilization: Yes ➤ Focus Distance <ul style="list-style-type: none"> - Built-in Autofocus Motor: Yes - Internal Focusing: Yes ➤ Focus Distance: Minimum Focus Distance: 55" or lower ➤ Accessories <ul style="list-style-type: none"> - Rear Cap: Yes - Front Cap: Yes - Lens Hood: Yes - UV Filter: Yes 	1 pc		

<ul style="list-style-type: none"> ➤ Replacement and Warranty <ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - At least 1 year warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 			
<p>1.3. Speed Light Specifications:</p> <ul style="list-style-type: none"> ➤ Commander Function: yes ➤ Remote Function Yes ➤ Lens Coverage: 24-200mm ➤ Bounce Function <ul style="list-style-type: none"> - Tilt: -7° up to 90° - Rotate: 180° left and right - Click Stops (Tilt and Rotate): Manufacturer's standard ➤ Flash Exposure control <ul style="list-style-type: none"> - Manual: Yes - TTL: Yes ➤ Mount Compatibility: Compatible with Camera to be bought ➤ Recycling Time: Approx Minimum: 2.5 sec ➤ Power Source <ul style="list-style-type: none"> - AA-Size Batteries - Quantity: At most Four (4) ➤ Flash Ready Indicator: Yes ➤ Battery <ul style="list-style-type: none"> - Rated Capacity: Up to 2,550 mAh - Low self-discharge - Ni-MH - Quantity: 16 pcs - Free Battery Case ➤ Charger <ul style="list-style-type: none"> - Smart Charge Feature (Auto stops charge when battery is full): Yes - Integrated LCD screen or battery charge indicator - Refresh (Discharge Mode): Optional - Charging Bays: 4 - Input: AC (120v) - Quantity: Two (2) pcs ➤ Replacement and Warranty <ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - Atleast 1 year warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 	1 pc		
<p>1.4. Tripod Specifications:</p> <ul style="list-style-type: none"> ➤ Capacity: Max. Load: 4kg ➤ Pan and Tilt Controls: Independent pan and tilt controls ➤ Height: <ul style="list-style-type: none"> - Min (Folded): At most 20" - Max (Extended): At most 70" ➤ Legs <ul style="list-style-type: none"> - Number of Legs: 3 - Leg Lock: Flip Lock 	1 pc		

<ul style="list-style-type: none"> - Independent Leg Spread: Yes ➤ Material: Aluminum ➤ Weight: Max 3kg ➤ Level Bubble: Built-in level bubble ➤ Quick Release Plate: yes ➤ Other Features <ul style="list-style-type: none"> - Convertible to Monopod: Optional - Center Column Hook: Yes - Feet: Option of Rubber Feet and/or Spiked Feet ➤ Inclusion: Carrying Case ➤ Replacement and Warranty <ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - At least 1 year warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 			
<p>1.5 Camera Bag</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Form Factor: Shoulder bag or sling bag ➤ Interior: <ul style="list-style-type: none"> - Can fit camera to be bought with 24-70mm lens attached - Available compartment for flash gun and extra lens - User customizable interior dividers - Available compartment/storage space for charger and other camera peripherals ➤ Exterior: <ul style="list-style-type: none"> - Hard Shell - With removable rain cover - MOLLE Compatible: Optional ➤ Replacement and Warranty <ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - At least three (3) months warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 	1 pc		
2. DSLR Camera Se #2 with Accessories			
<p>2.1 DSLR Camera</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Image Sensor <ul style="list-style-type: none"> - About 35.9mm x 24mm - FX Format Image Sensor or equivalent - With dust reduction/dust cleaning system ➤ Megapixels: At least 20.9 million ➤ Storage: <ul style="list-style-type: none"> - At least 1 memory card slot - Supports SD, SDHC, and SDXC ➤ Top Continuous Shooting at Full Resolution: At least 8 frames per second ➤ Display <ul style="list-style-type: none"> - At least 3" diagonal - 170-degree viewing angle - With monitor brightness adjustment - Tilting or articulating - At least 540x480, RGB ➤ File Format 	1 pc		

<ul style="list-style-type: none"> - Still Images: Raw, JPEG - Video: Mov, MP4 ➤ View Finder <ul style="list-style-type: none"> - Eye-level Pentaprism Single-Lens Reflex Viewfinder - Viewfinder Coverage (Vertical and Horizontal): 100% - Diopter Adjustment: Manufacturer's standard ➤ Shutter: <ul style="list-style-type: none"> - Shutter Speed Range 1/4000 to 30 sec or higher - Bulb mode: Yes - Flash Sync Speed: 1/250 or lower - Shutter Release Modes: Continuous low speed mode; continuous high speed mode; Mirror-up mode; Quiet Mode; Selfi-timer mode; Single-frame mode - Self Timer Mode: 2s; 5s; 10s; or user customizable ➤ Exposure <ul style="list-style-type: none"> - Metering Method: Center-weighted; Matrix; and Spot - Exposure Modes: Aperture-Priority; Manual; Program; Shutter-Priority ➤ ISO Sensitivity <ul style="list-style-type: none"> - At least ISO 100 - ISO 12,800 - Long Exposure Noise Reduction: Yes - Built-in High ISO Noise Reduction: Low, Normal, High, Off ➤ Focus/ Autofocus <ul style="list-style-type: none"> - Single-Point AF Mode: YES - Number of AF Points: At least 45 - Cross-type AF Points: At least 15 - Focus Modes: AF-S (or equivalent); AF-C (or equivalent); Manual Focus; AF-A (or equivalent) ➤ Live View <ul style="list-style-type: none"> - Minimum Recording Time: 5 mins per clip - Resolution: 4K UHD 3840x2160, 30 fps or lower frame rates; Full HD 1920x1080, 60 fps or lower frame rates; HD 1280x720, 60 fps or lower frame rates ➤ Kit Options: Body only: yes ➤ Memory Card <ul style="list-style-type: none"> - SDHC or SDXC compliant - Data Transfer: At least 90 Mbps - Class 10 - Storage: At least 64 GB ➤ Battery: <ul style="list-style-type: none"> - Battery Life: At least 900 stills or 80 mins of HD footage - Extra Battery: Yes ➤ Miscellaneous <ul style="list-style-type: none"> - Built in microphone - Built in speakers - Audio-in/out jack - Built in GPS, Bluetooth, Wi-Fi or NFC - Built in HDMI or mini-HDMI Jack - Weather Sealed Camera Body: Yes ➤ Replacement and Warranty 			
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--

<ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - At least 1 year warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 			
<p>2.2 Camera Lens (70-200mm)</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Focal Range: 70-200mm ➤ Lens Construction: 21 Elements in 16 groups ➤ Number of Diaphragm Blades: 9 (Rounded Diaphragm) ➤ Aperture: <ul style="list-style-type: none"> - Minimum: F22 - Maximum: F2.8 - Aperture throughout focal range: F2.8 ➤ Filter Size: Manufacturer's Standard ➤ Mount: FX mount ➤ Image Stabilization: yes ➤ Focus: <ul style="list-style-type: none"> - Built-in Autofocus Motor: Yes - Internal Focus: Yes ➤ Focus Distance: Minimum Focus Distance: 15" or lower ➤ Accessories: <ul style="list-style-type: none"> - Rear Cap: Yes - Front Cap: Yes - Lens Hood: Yes - UV Filter: Yes ➤ Replacement and Warranty <ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - 11.2 At least 1 year warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 	1 pc		
<p>2.3. Speed Light</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Commander Function: Yes ➤ Remote Function: Yes ➤ Lens Coverage: 24-200mm ➤ Bounce Function: <ul style="list-style-type: none"> - Tilt: -7° up to 90° - Rotate: 180° left and right - Click Stops (Tilt and Rotate): Manufacturer's standard ➤ Flash Exposure Control <ul style="list-style-type: none"> - Manual: Yes - TTL: Yes ➤ Mount Compatibility: Compatible with Camera to be bought ➤ Recycling Time: Approx Minimum: 2.5 sec ➤ Power Source: <ul style="list-style-type: none"> - AA-Size Batteries - Quantity: At most Four (4) ➤ Flash Ready Indicator: Yes ➤ Battery: <ul style="list-style-type: none"> - Rated Capacity: Up to 2,550 mAh - Low self-discharge - Ni-MH 	1 pc		

<ul style="list-style-type: none"> - Quantity: 16 pcs - Free Battery Case ➤ Charger <ul style="list-style-type: none"> - Smart Charge Feature (Auto stops charge when battery is full): Yes - Integrated LCD screen or battery charge indicator - Refresh (Discharge Mode): Optional - Charging Bays: 4 - Input: AC (120v) - Quantity: Two (2) pcs ➤ Replacement and Warranty <ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - At least 1 year warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 			
<p>2.4. Tripod</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Capacity: Load: 4kg ➤ Pan and Tilt Controls: Independent pan and tilt controls ➤ Height: <ul style="list-style-type: none"> - Min (Folded): At most 20" - Max (Extended): At most 70" ➤ Legs: <ul style="list-style-type: none"> - Number of Legs: 3 - Leg Stages/Sections: 3 - Leg Lock: Flip Lock - Independent Leg Spread: Yes ➤ Material: Aluminum ➤ Weight: Max 3kg ➤ Level Bubble: Built-in level bubble ➤ Quick Release Plate: yes ➤ Other Features: <ul style="list-style-type: none"> - Convertible to Monopod: Optional - Center Column Hook: Yes - Feet: Option of Rubber Feet and/or Spiked Feet ➤ Inclusion: Carrying Case ➤ Replacement and Warranty <ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - At least 1 year warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 	1 pc		
<p>2.5. Camera Bag</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Form Factor: Shoulder bag or sling bag ➤ Interior: <ul style="list-style-type: none"> - Can fit camera to be bought with 24-70mm lens attached - Available compartment for flash gun and extra lens - User customizable interior dividers - Available compartment/storage space for charger and other camera peripherals ➤ Exterior: 	1 pc		

<ul style="list-style-type: none"> - Hard Shell - With removable rain cover - MOLLE Compatible: Optional ➤ Replacement and Warranty: <ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - At least three (3) months warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 			
<p>3. Professional Camera</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Sensor: <ul style="list-style-type: none"> - Sensor Size: 13.2 mm x 8.8 mm or higher - Effective Megapixel: At least 14.2M ➤ Lens: <ul style="list-style-type: none"> - Lens Mount: Fixed - Optical Zoom: 20x - Focal Length Range: 29.5mm to 600mm - Iris: F1.8-F3.6 - Focus: AF/MF Selectable - Image Stabilizer: Built in - Filter Diameter: Manufacturer's standard - Built-in Optical Filter: ND ➤ Recording Format: <ul style="list-style-type: none"> - Video: XAVC QFHD: MPEG-4 AVC/H.264 XAVC HD : MPEG-4 AVC/H.264 XAVC Proxy: MPEG-4 AVC/H.264 MPEG HD422: MPEG-2 422P@HL MPEG HD420: MPEG-2 MP@HL MPEG HD Proxy: MPEG-4 AVC/H.264 AVCHD : MPEG-4 AVC/H.264 AVCHD 2.0 format compatible or equivalent - Audio: Linear PCM 2ch, 24bit, 48kHz AAC-LC 2ch, 16bit, 48kHz Dolby Digital 2ch, 16bit, 48kHz ➤ Frame Rate: Maximum: (3840 x 2160) @29.97p, 25p, 23.98p 100Mbps/60Mbps Minimum: XAVC Proxy (640 x 360) @59.94p, 50p, 29.97p, 25p, 23.98p, 3Mbps ➤ Storage: <ul style="list-style-type: none"> - SD/SDHC/SDXC Compatible - Memory Card Slot: Two (2) ➤ Monitors: <ul style="list-style-type: none"> - Viewfinder: at least 1cm - LCD Monitor: 8.8 cm, tilting/rotating ➤ Microphone: Built-in Microphone ➤ Input/ Output: Manufacturer's Standard ➤ Power Requirements: <ul style="list-style-type: none"> - DC: 8.4v - Battery: 7.2V - AC power adaptor, auto-volt (120-240 V) ➤ Other Accessories: Manufacturer's standard ➤ Memory Card: <ul style="list-style-type: none"> - SDHC or SDXC compliant/ Compatible with Camcorder - Data Transfer: At least 90 Mbps - Class 10 - Storage: At least 128 GB - Quantity: 2 ➤ Replacement and Warranty: 	1 pc		

<ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - At least 1 year warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 			
<p>4. Drone</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Type: Quadcopter Drone ➤ Camera: <ul style="list-style-type: none"> - Sensor: At least 1" CMOS - Effective Pixels: At least 20MP - Focal Length/Field of View: 24mm / 77° - Aperture: F2.28 - Minimum Focus Distance: 1.0m - Photo ISO Range: 100-3200 (Auto); 100-12,800 (Manual) - Video ISO Range: 100-6400 (Auto) - Photo Resolution: 5472x3648 - Photo Format: JPEG, Raw - Video Format: 3840 x 2160p at 24/25/30 fps 2688 x 1512p at 24/25/30/48/50/60 fps 1920 x 1080p at 24/25/30/48/50/60/120 fps - Photo Mode: Single, Burst, Interval ➤ Gimbal: <ul style="list-style-type: none"> - Axis: 3 (Pitch, Roll, Yaw) - Control Range: Pitch: -90° to 30°; Yaw: -75° to 75° - Angular speed: Pitch: 120°/s ➤ Storage: <ul style="list-style-type: none"> - Internal Storage: At least 8GB - External Storage: Micro SD/SDHC/SDXC Compatible - Memory Card Slot: At least 1 ➤ Flight Performance: <ul style="list-style-type: none"> - Horizontal Speed: At most 50km/h - Ascent: 5m/s - Descent: 3m/s - Wind Resistance: Up to 30km/h winds - Min Flight Time: 30 mins - Min Hover Time: 20 mins - Flight Ceiling: 6km - Flight Functions: Around flight, Auto landing, automatic return, automatic following, programmable/pre-programmed flight paths - Obstacle Sensor: Manufacturer's standard ➤ Flight Control: GNSS Support: GPS, GLONASS ➤ Controller: <ul style="list-style-type: none"> - Included: Yes - Built-in display: At least 5" - Connectivity: Wireless: Wifi/ Bluetooth, etc.; Wired: USB, HDMI, etc. - Built-in Battery - Battery Life: At least 2 hours - Transmission Distance: At least 5km - Minimum Controller Reach (Controller to Drone): 5km ➤ Accessories: <ul style="list-style-type: none"> - Controller - Built-in display: At least 5" 	1 pc		

<ul style="list-style-type: none"> - Connectivity: Wireless: Wifi/ Bluetooth, etc.; - Wired: USB, HDMI, etc. - Removable Battery - Battery Life: At least 2 hours - Transmission Distance: At least 5km - Minimum Operating Distance: 5km - Extra Batteries: Two (2) - Extra Propellers: At least 4 - Battery Charger/Charger Hub ➤ Memory Card <ul style="list-style-type: none"> - SDHC or SDXC compliant/ Size is compatible with Drone - Data Transfer: At least 90 Mbps - Class 10 - Storage: At least 128 GB - Quantity: 2 ➤ Replacement and Warranty: <ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - At least 1 year warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 			
<p>5. Drone Bag</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Form Factor: <ul style="list-style-type: none"> - Backpack - With either sternum strap and/or waist strap ➤ Interior: <ul style="list-style-type: none"> - Can fit drone to be bought (once folded/configured for storage) - Available compartment for remote control - User customizable interior dividers - Available compartment/storage space for other drone peripherals ➤ Exterior: <ul style="list-style-type: none"> - Hard Shell - With removable rain cover - MOLLE Compatible: Optional ➤ Replacement and Warranty: <ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - At least three (3) months warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 	1 pc		
<p>6. Shotgun Microphone</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Power Source: Battery or +48 phantom power ➤ Polar Pattern: Super Cardioid Polar Pattern ➤ Suspension Shock Mount: Hot Shoe/Cold Shoe mountable ➤ Inclusions: <ul style="list-style-type: none"> - Storage Pouch/Case - Pop filter/wind shield ➤ Replacement and Warranty: <ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) 	1 pc		

<ul style="list-style-type: none"> - At least 1 year warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 			
<p>7. Dry Box</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Capacity: At most 120L ➤ External Dimensions: Manufacturer's standard ➤ Features: <ul style="list-style-type: none"> - Operation: Fully Automatic - Relative Humidity Range: 25%-55% - Door Type: Glass - Lock Type: Manufacturer's Standard with at least 2 keys - Hygrometer: Analog Hygrometer - Color: Black with rust proof coating - Power Consumption: At most 6 Watts - Maintenance Free ➤ Replacement and Warranty: <ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - At least 1 year warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 	1 pc		
<p>8. Audio Recorder</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Display: At least 1.25" LCD Display ➤ Features and Functions: <ul style="list-style-type: none"> - Individual physical buttons for Record, Play/Pause, Stop, Next Track, and Previous Track - Functions: Lo-cut Filter, Limiter, Test Tone, Slate-Tone, Voice Emphasize Filter, Playback Position Skipping, Playback Speed Control, A-B Repeat, Auto REC Level, Marker, Auto-Record, Pre-Record, Self-Timer, Overdubbing ➤ Recorder Formats: WAV: 44.1 kHz/16-bit, 48 kHz/16-bit, 48 kHz/24-bit, 96 kHz/24-bit ➤ Storage: <ul style="list-style-type: none"> - Internal Storage: Optional - Support for: micro SD/ micro SDHC cards (Class 4 or higher, up to 32GB) - microSDHC card included: 32GB ➤ Microphone and Speaker: <ul style="list-style-type: none"> - Built-in, unidirectional condenser, 90° XY stereo format - Gain: -∞ dB to +39 dB - Maximum sound pressure level: 120 dB SPL - Built-in speaker - Speaker at least 500mW ➤ Inputs/ Outputs: <ul style="list-style-type: none"> - Input: 1/8" stereo phone jack - Output: 1/8" stereo phone jack (combined line/headphones) ➤ Power Source: <ul style="list-style-type: none"> - Battery: Manufacturer's standard - USB Bus Power Support - Battery life: At least 8 hours continuous recording 	2 pcs		

<ul style="list-style-type: none"> ➤ USB: <ul style="list-style-type: none"> - Micro USB Support - Mass Storage Operation: USB 2.0 or higher ➤ Replacement and Warranty: <ul style="list-style-type: none"> - At least 7 days replacement from date of acceptance (Terms to be agreed upon by seller and buyer) - At least 1 year warranty from date of acceptance (Terms to be agreed upon by seller and buyer) 			
<p>9. Projector</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Resolutions and Brightness: At least 3,000 lumens; white light, short throw ➤ Connectivity: Wireless LAN; Support for Analog RGB Input/Output (D-Sub 15 Pin); Support for Analog Composite Video Input; Support for Digital Input/Output (HDMI); Support for Audio Input/Output; Support for USB Input ➤ Projection Ratio: 1.38 - 2.24: 1 ➤ Lamp life: At least 5,000 hours ➤ Focus: Manual ➤ Keystone Corrections: Vertical and Horizontal: ±30° ➤ Projection Method: Front, rear, or ceiling mount compatible ➤ Remote Control: Physical buttons for menu, keystone adjustment, freeze, split, etc. ➤ Battery: Manufacturer's standard ➤ Operating Distance: At least 4.6m ➤ With carrying case/bag; Carrying case/bag ➤ With projection screen ➤ In case of factory defect, at least 7 days replacement from date of acceptance ➤ At least 1 year warranty from date of acceptance 	1 pc		
<p>10. Smart Television (Brand New)</p> <p>Specifications:</p> <ul style="list-style-type: none"> ➤ Quantity: 1 unit ➤ Display: <ul style="list-style-type: none"> - Screen Size: At least 65" - Resolution: At least 3,840 x 2,160 (UHD Resolution) - Display Panel: LCD or Better - Display Type: Flat or Curved - Back Light: Manufacturer's Standard - Color Enhancement Feature: Manufacturer's Standard - Contrast Enhancement: Manufacturer's Standard - HDR Compatible: Yes ➤ Software and Hardware: <ul style="list-style-type: none"> - Operating System: Android or Equivalent - Application Store: Yes - Web Browser Support: Yes - App Support: Yes - Internal Storage: At least 2Gb ➤ Connectivity: <ul style="list-style-type: none"> - HDMI Ports: At least three (3) - Ethernet Port: Optional - USB Port: At least two (2) 	1 unit		

<ul style="list-style-type: none"> - Wireless LAN Support: Yes - Audio Output (3.5mm): Optional - Bluetooth: Optional - Screen Mirroring Support (Phone/Laptop to TV): Yes - Component In (Y/Pb/Pr): At least one (1) ➤ Audio: <ul style="list-style-type: none"> - Number of Speakers: At least one (1) - Audio Output: At least 20W - Bluetooth Speaker/Headset Support: Optional - Sound Processing/Modes: Manufacturer's Standard ➤ Inclusions: Wall Mount (Articulating/Swivel) ➤ Warranty: <ul style="list-style-type: none"> - Scope of Coverage: <ul style="list-style-type: none"> ○ Materials Used ○ Workmanship ○ Free labor and/or parts ○ Duration: At least one (1) year from date of acceptance 			
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--

N.B. All prices shall be inclusive of supplier's profit, OCM and Value Added Tax.

COMPLETION DATE : _____ calendar days
PRICE VALIDITY : _____ calendar days
WARRANTY PERIOD : _____ year(s)

After having carefully read, understood and accepted the General and Special Conditions, I/We quote at prices as above-indicated.

Printed Name/Signature

Business Address

Telephone No./Mobile No./E-Mail Address

Date